

## KIRLOSKAR BROTHERS LIMITED



# Pressure Boosting (Hydro Pneumatic) System

# Customised Solutions to Suit the user demand



**Buildings** 



Hotels



**Textiles** 



**Airports** 



**Municipal Corporations** 



Steel Industry



Metros



**Automotive** 




Chemicals



Kirloskar Brothers Limited (KBL) is the flagship company of the Kirloskar Group. Established in 1888 and incorporated in 1920, it is known as a leading and innovative solution provider in hydraulic machines and systems the world over. KBL manufacturers rotodynamic pumps from 0.1 kW to 26 mW across its 14 factories on 6 continents. As an ISO 9001, 14001 and OHSAS 18001 company it has robust processes and systems as well modern manufacturing facilities, skilled human resources and significant technical strength in design and application engineering. KBL has in house ferrous and non ferrous foundries as well as one of Asia's largest hydraulic research centre with a testing facility to test pumps up to 50000 m³/hour, 4500 kW motors in both 50 Hz and 60 Hz configurations.

### Offering including pumps ranging from 0.1 kW to 26000 kW



KBL's proud manager standing at the discharge pipe of KBL's large pump and holding KBL's smallest pump




Manufacturing unit at Kirloskarvadi Celebrating 100 Uears (1910-2010)



'YAMUNA', Global headquarters of Kirloskar Brothers Limited is among the Greenest Building in India with LEED Certificed Platinum Rating

# **Segments and Applications**



Residential/ Commercial/ Industrial Buildings

Airports

Hotels

**Municipal Corporation** 

**Automotive** 

**Textiles** 

Steel/ Cement/ Process/ Pharma Industries

Power

IT Parks

Hospitals

Sugar Industries

Multiplexes

**Bottling Plant** 

### **KBL's Comprehensive Solutions for Pressure Boosting Industry**

### Type of systems

• Constant speed system - Fx1 -

Tank filling , Water transfer, Residential housing, Small size commercial - Residential buildings

Cascade system - MX
 (only 1 VFD common to all pumps) -

Medium size commercial - Residential buildings, Demand based industrial applications

 All pump VFD system - EX (all pumps having their individual VFD) - Townships, Hospitals, Airports, Malls, Metros, Demand based industrial applications



## Listed - Packaged Pumping System



## **Our Offerings**

**Pumps** 

Long and short coupled pumps, Single and double suction pumps, Vertical inline multistage pumps, Horizontal multistage pumps and Submersible pumps

Motors

EFF2, EFF1 and premium efficiency

Control Panel

Wall and floor mounted panels

Energy Saving and Efficiency Sustainable Coatings

Glass flake coating on Pumps, Valves, Tanks, Pipes etc.

Accessories

Skid (Suction and Discharge header, NRVs, Isolating valves, Pressure switch/ Pressure transmitter), Pressurized tank, Solenoid valves, Float switches

Service Backup


24x7 Service backup, Energy audit, O and M Contract, etc.

# Flexibility in Pump Offering for Pressure Boosting System

## Vertical / Horizontal multistage centrifugal pumps



IL / KCIL / KSIL







Up to 400 m<sup>3</sup>/ hr System Flow System Head Liquid Temperature Frequency Mounting Pump head and Base CI/SS Impeller

(1760 USgpm) Up to 240m (788 ft) (-) 20°C to (+)120°C 50Hz/ 60Hz Skid/ Customized Mounting SS304/SS316 (All wetted parts)





**RKBV** 

**RKB** 





System Flow	Up to 4000 m³/ hr		
	(17600 USgpm)		
System Head	Up to 850m (2788 ft)		
Liquid Temperature	(-) 20°C to (+)100°C		
Frequency	50Hz/ 60Hz		
Mounting	Skid/ Customized		
	Mounting		
Casing	Cast Iron/ Cast Steel/		
	CF8M(SS)		
Impeller	Cast Iron/ Bronze/		
	Cast Steel/ CF8M(SS)		

# Flexibility in Pump Offering for Pressure Boosting System

## **End Suction Pumps**





Monobloc

## **Split Case Pumps**





SCT/ DSM/ i-HT/ UP





## **Specifications and Features**

System Head
Liquid Temperature
Frequency
Mounting


System Flow

Casing

Impeller

Up to 5000 m³/hr (22000 USgpm) Up to 120m (394 ft) (-) 20°C to (+)100°C 50Hz/60Hz

Skid/ Customized Mounting Cast Iron/ Cast Steel/ CF8M(SS) Cast Iron/ Bronze/ Cast Steel/ CF8M(SS)





System Flow

Up to 10000 m³/hr
(44000 USgpm)

System Head

Up to 240m (788 ft)

Liquid Temperature

(-) 20°C to (+)100°C

Frequency

50Hz/60Hz

Mounting

Casing

Impeller


Skid/ Customized Mounting Cast Iron/ Cast Steel/ CF8M(SS) Cast Iron/ Bronze/ Cast Steel/ CF8M(SS)

# Flexibility in Pump Offering for Pressure Boosting System

## Submersible Pumps



KS/ KU/ HH/ KOS




## **Specifications and Features**

System Flow	Up to 150 m³/ hr
	(660 USgpm)
System Head	Up to 178m (584 ft)
Liquid Temperature	(-) 20°C to (+)90°C
Frequency	50Hz
Mounting	Skid/Customized
	Mounting
Pump Housing	SS410
Impeller	Noryl

## Wet Pit Pumps



**KPDS** 



System Flow	Up to 4000 m³/ hr (17600 USgpm)		
System Head	Up to 150m (492 ft)		
Liquid Temperature	(-) 20°C to (+)90°C		
Frequency	50Hz/60Hz		
Mounting	Skid/ Customized Mounting		
Casing	Cast Iron/ Cast Steel/ CF8M(SS)/ Duplex Steel		
Impeller	Cast Iron/Bronze/ Cast Steel/ CF8M(SS) Chrome Steel/ Duplex		
	Cilibilie Sieel/ Duplex		

Steel

# **ShowerJoy Pressure Boosting System**



## Single stage

Specification	SJ-42420	SJ-32820	SJ-52820	SJ-42820	SJ-53220
Rating	0.37/0.5	0.55/0.75	0.75/1.0	1.1/1.5	1.1/1.5
Suc/De	25 x 25	25 x 25	25 x 25	25 x 25	25 x 25
Tank Size	20	20	20	20	20
Maximum Head	32	38	40	45	46
Discharge (lpm)	24-40	9-40	30-48	10-40	24-48

Single Stage Booster



## Mutistage

Specification	SJ-72824MS	SJ-83224MS	SJ-63824MS
Rating	0.75/1.0	1.1/1.5	1.1/1.5
Suc/Del	25 x 25	25 x 25	25 x 25
Tank Size	24	24	24
Maximum Head	33	45	46
Discharge (lpm)	35-65	30-72	36-60

Multi Stage Booster

## **Application**

- \* High pressure showers/ wall shower panels
- \* High pressure supply to Bungalows/small apartments/ hostels/ small hotels
- \* Gardening with lawn sprinklers
- \* Domestic washing of cars
- \* Small farms

## **Material of construction**

Pump Casing	Stainless steel
Impeller	Stainless steel/ Noryl (Multistage)
Mechanical Seal	Carbon/ Ceramic
Pressure switch	Danfos make
Pressure tank	Aluminium

# **Control Panels**





Floor mounted VFD panel for pressure boosting system



Skid mounted VFD panel



Fixed speed panel








# Salient Features of Control Panel


Sr. No.	Feature	All variable speed	Cascade	Fixed speed
1	Pressure control device	Pressure transmitter	Pressure transmitter	Pressure switch
2	Setting of pressure	On HMI	On HMI	On pressure switch
3	Controller	PLC based	PLC based	Microcontroller based
4	Display unit	4 line 20 characters HMI	4 line 20 characters HMI	LED display
5	VFD	All pump	Common to all pump	Not required
6	Rotation of pumps on VFD(Each pump)	$\checkmark$	$\overline{\checkmark}$	Not applicable
7	Bypass of VFD in case of failure	$\overline{\checkmark}$	$\overline{\checkmark}$	Not applicable
8	Switchgear	Standard	Standard	Standard
9	Enclosure	Panel IP 42 Eq IP 54 optional	Panel IP 42 Eq IP 54 optional	Dedicated controller In plastic housing
10	Maximum nos. of pumps in parallel operation	Up to 12	Up to 8	Up to 4
11	Pump alternation	$\overline{\checkmark}$	$\overline{\checkmark}$	V
12	Standby pump alternation	$\checkmark$	$\checkmark$	Not avl
13	Equal running hours of pumps	$\overline{\checkmark}$	V	V
14	User selectable working and standby pump configuration	$\overline{\checkmark}$	$\overline{\checkmark}$	Not avl
15	Auto Take Over Of Stand By Pump In Case Of Working Pump Failure	$\overline{\checkmark}$	$\overline{\checkmark}$	$\overline{\checkmark}$
16	Alarms and messages. alarm history last 100 faults	On HMI	On HMI	On LED display/ lamp
17	Display of system parameters like set pressure, actual pressure	On HMI	On HMI	On pressure gauge
18	Fixed or rtc based set points	$\overline{\checkmark}$	$\overline{\checkmark}$	Not avl
19	High pressure cutout	$\overline{\checkmark}$	$\overline{\checkmark}$	$\overline{\checkmark}$
20	Dry run protection	$\overline{\checkmark}$	$\overline{\checkmark}$	$\overline{\checkmark}$

# Tank Filling System: An Emerging Trend

### Schematic Diagram



## **Overview of Tank Filling System**



# **Major Customers**











































### **CONTACT US -**

### **AHMEDABAD**

254/1, Charodi Village sanad, Ahmedabad-Viramgam highway,

Ahmedabad 382 170

Phone: +91-79-26583739, 26580376, 26583615, 26583258, 26574500, 26574802

Fax: +91-79-26583786 Email: ahmedabad@kbl.co.in

### **BANGALORE**

No.5, Lakshmi Complex, II floor, 10th Cross, RMV Extension, CV Raman Road, Bangalore 560 080

Phone: +91-80-23619914, 23619915, 23610027, 23610028 Fax: +91-80-23610095 Email: bangalore@.kbl.co.in

### **BHOPAL**

E-1, Shankarnagar, 6 1/2 Bus Stop, Opposite Parul Hospital,

Bhopal 462 016

Phone: +91-0755-4218341 Email: bhopal@kbl.co.in

### **BHUBANESHWAR**

Plot No. 969, Part A, Uttam Tower, Block B, 1st Floor, Ashok Nagar, Unit 2, Bhubaneshwar 751 009 Phone: +91-0674-2536188, 2536421, 2535371

Fax: +91-0674-2534965 Email: bhubaneshwar@kbl.co.in

### **CHENNAI**

Raj Paris, Trimeni Towers, 2nd Floor, 147 GN Chetty Road,

T Nagar, Chennai 600 017

Phone: +91-044-28157769, 28156546 / 7 / 8 Fax:044-28156549 Email: chennai@kbl.co.in

### **JAIPUR**

102, Riddhi Siddhi Apartments, Ahinsa Circle, 'C' Scheme,

Jaipur 302 001

Phone: +91-0141-2361434, 2361412, 2361422 Fax: +91-0141-2375670 Email: jaipur@kbl.co.in

### **KOCHI**

Veejay Towers, 38/239 A, Salim Rajan Road, Gandhinagar,

Ernakulam, Kochi - 682 017

Phone: +91-0484-2206651, 2206652

Fax: +91-0484-2206653 Email: kochi@kbl.co.in

### **KOLKATA**

KCI Plaza, 1st Floor, 23 C, Ashutosh Chowdhary Avenue,

Kolkata 700 019

Phone: +91-033-2461 4040, 2461 4050, 2461 4060, 2461 5065,

2461 5934, 2461 5325

Fax: +91-033-2461 4519 Email: kolkata@kbl.co.in

### **LUCKNOW**

B-1/7, Sector A, Aliganj, Lucknow 226 024 Phone: +91-0522-2326367, 2326374, 2326387 Fax: +91-0522-2326365 Email: lucknow@kbl.co.in

### **MUMBAI**

10, Corporate Park, Swastik Mills Compound, Sion-Trombay Road, Chembur, Mumbai 400 071

Phone: +91-022-25289320 to 28

Fax: +91-022-25289329 Email: mumbai@kbl.co.in

### **NAGPUR**

Flat No. 7, Sagar Palace, Laxmi Nagar, Behind 'Bal Jagat',

East High Court Road, Nagpur - 440 022 Phone: +91-0712-2234275, 2234276

Fax: +91-0712-2234276 Email: nagpur@kbl.co.in

### **NEW DELHI**

Jeevan Tara Building, 5, Parliament Street, New Delhi 110 001

Phone: +91-011-41501055 to 62

Fax: +91-011-23342002 Email: delhi@kbl.co.in

### **PUNE**

Udyog Bhavan, Tilak Road, Pune 411 002 (India)

Phone: +91-020-2444 0770 Email: pune@kbl.co.in

### **JAMSHEDPUR**

No. 4, 4th Floor, Meghdeep Building, Q road, Bistupur, Beside Hotel South Park, Jamshedpur - 834001

### **SECUNDERABAD**

P.O. Box. No. 1580, 403, Jade Arcade, 126 MG Road,

Paradise Circle, Secunderabad - 500 003

Phone: +91-040-66874700, 66874712 to 37, 27816075 Fax: +91-040-27894598 Email: secunderabad@kbl.co.in

As we are constantly endeavoring to improve the performance of our products/equipment, we reserve the right to make alterations from time to time and as such our products/equipment may differ from that detailed in this publication. For latest information you may get in touch with our Regional Sales Offices.









**Enriching Lives** 

Pumps | Valves | Motors | Hydro Turbines | Turnkey Projects

## KIRLOSKAR BROTHERS LIMITED

Corporate & Marketing Office: "Yamuna", Survey No. 98 / 3 to 7 Baner, Pune - 411 045 Maharashtra, (India) • Phone: +91 - 20 - 2721 4444 • E -mail: kblin@kbl co in • Web Site: www.kbl co in

Works in India: Kirloskarvadi, Shirwal, Kondhapuri, Dewas and Coimbatore

Overseas: Ajman, Cairo, Johannesburg, Nairobi, Phnom Penh, Miami, Vientiane, Bangkok, Amsterdam, Dakar Regional Sales Offices in India: Ahmedabad, Bangalore, Bhopal, Bhubaneswar, Kolkata, Chennai, Jaipur, Kochi, Lucknow, Mumbai, Nagpur, New Delhi, Pune, Ranchi, Secunderabad

